AMENDMENTS TO THE CLAIMS

- 1. (Currently Amended) A silicone rubber adhesive composition used for forming an integrally molded article with an organic resin comprising
- (A) 100 parts by weight of a heat curable organopoly-siloxane composition,
- (B) 1 to 100 parts by weight of reinforcing silica fines, and
- (C) 0.1 to 50 parts by weight of an organic compound or organosilicon compound having an epoxy equivalent of 100 to 5,000 g/mol and containing at least one aromatic ring in a molecule

the cured product of said silicone rubber adhesive composition providing a greater bond strength to said organic resin than any mold used for forming the integrally molded article.

- 2. (Currently Amended) The composition of claim 1 wherein compound component (C) is an organosilicon compound containing at least one Si-H group in a molecule.
- 3. (Original) The composition of claim 1 which provides a greater bond strength to organic resins than to metals.



- 4. (Original) An integrally molded article comprising a silicone rubber adhesive composition in the cured state and a thermoplastic resin, said silicone rubber adhesive composition comprising
- (A) 100 parts by weight of a heat curable organopoly-siloxane composition,
- (B) 1 to 100 parts by weight of reinforcing silica fines, and $\ensuremath{\text{(B)}}$
- (C) 0.1 to 50 parts by weight of an organic compound or organosilicon compound having an epoxy equivalent of 100 to 5,000 g/mol and containing at least one aromatic ring in a molecule.
- 5. (Currently Amended) An The integrally molded article of claim 4 comprising a silicone rubber adhesive composition in the cured state and a thermoplastic resin, said silicone rubber adhesive composition comprising:
- (A) 100 parts by weight of a heat curable organopolysiloxane composition,
- (B) 1 to 100 parts by weight of reinforcing silica fines, and
- (C) 0.1 to 50 parts by weight of an organic compound or organosilicon compound having an epoxy equivalent of 100 to



Appl. No.: 10/035,213

5,000 g/mol and containing at least one aromatic ring in a molecule

 \mathcal{U}

wherein $\underline{\text{compound}}$ $\underline{\text{component}}$ (C) is an organosilicon compound containing at least one Si-H group in a molecule.

- 6. (New) The composition of claim 1 wherein compound (C) is the organosilicon compound having at least one linear or cyclic siloxane structure.
- 7. (New) The composition of claim 1 or wherein compound (C) is at least one selected from the compounds of the following formulae:

ar

Page 4 of 15

Appl. No.: 10/035,213

wherein X is
$$-O-CH_2-CH-CH_2$$

wherein R' is selected from the following groups:

Rw and Rx are substituted or unsubstituted monovalent hydrocarbon groups, q is a number of 1 to 50, and h is a number of 0 to 50,

R" is selected from the following groups:

-O-, -CH₂-, -C-, -Si-, -Si-O
R_x CH₃
$$\begin{pmatrix} R_w \\ l \\ -Si-O \\ R_x \end{pmatrix}$$

wherein Rw and Rx are as defined above, and y is a number of 0 to 100, and

Appl. No.: 10/035,213

Y' is

wherein Rw, Rx, q and h are as defined above. Subscript z is a number of 1 to 10.

8. (New) The composition of claim 1 wherein the organopolysiloxane composition comprises a diorganopolysiloxane of a straight chain structure whose backbone comprises recurring diorganosiloxane units of the formula: $R^1_2SiO_{2/2}$ and which is blocked with a triorganosiloxy group of the formula: $R^1_3SiO_{1/2}$ at either end

wherein \mathbb{R}^1 is a substituted or unsubstituted monovalent hydrocarbon group of 1 to 12 carbon atoms.

9. (New) The composition of claim 1 wherein the organopolysiloxane composition comprises a diorganopolysiloxane has a weight average degree of polymerization of about 10 to 10,000.

(2